



# BTEX

## Benzene, Toluene, Ethylbenzene, and Xylenes


### What is BTEX?

BTEX is not one chemical, but are a group of the following chemical compounds:

**B**enzene, **T**oluene, **E**thylbenzene and **X**ylenes.

BTEX are made up of naturally-occurring chemicals that are found mainly in petroleum products such as gasoline. Refineries will change the amounts of these chemical compounds to meet vapor pressure and octane standards for gasoline. Besides gasoline, BTEX can be found in many of the common household products we use every day.

#### BTEX Breakdown



■ Benzene	11%
■ Toluene	26%
■ Ethylbenzene	11%
■ Xylene	52%

**BTEX typically make up about 18% of gasoline.**

### What are some products that contain BTEX?

**Benzene** can be found in gasoline and in products such as synthetic rubber, plastics, nylon, insecticides, paints, dyes, resins-glues, furniture wax, detergents and cosmetics. Benzene can also be found in cigarette smoke. Auto exhaust and industrial emissions account for about 20% of the total nationwide exposure to benzene. About 50% of the entire nationwide exposure to benzene results from smoking tobacco or from exposure to tobacco smoke.

**Toluene** occurs naturally as a component of many petroleum products. Toluene is used as a solvent for paints, coatings, gums, oils and resins.

**Ethylbenzene** is used mostly as a gasoline and aviation fuel additive. It may also be present in consumer products such as paints, inks, plastics and pesticides.


There are three forms of **Xylene**: ortho-, meta-, and para-. Ortho-xylene is the only naturally-occurring form of xylene; the other two forms are man-made. Xylenes are used in gasoline and as a solvent in printing, rubber and leather industries.

BTEX are in a class of chemicals known as volatile organic compounds (VOCs). VOC chemicals easily vaporize or change from a liquid to a vapor (gas). The VOC vapors can travel through the air and/or move through contaminated groundwater and soils as vapors, possibly impacting indoor air quality in nearby homes or businesses.

### Where do you find BTEX?

Most people are exposed to small amounts of BTEX compounds in the ambient (outdoor) air, at work and in the home. Most everyone is exposed to low levels of these chemicals in their everyday activities. People who live in urban areas (cities) or by major roads and highways will likely be exposed to more BTEX than someone who lives in a rural setting.

Besides common everyday exposures, larger amounts of BTEX can enter the environment from leaks from underground storage tanks, overfills of storage tanks, fuel spills and landfills. BTEX compounds easily move through soils and can make their way into the groundwater, contaminating public and private water systems and the soils in between.



### Can exposure to BTEX make you sick?

Yes, you can get sick from exposure to BTEX. But getting sick will depend on:

- How much you were exposed to (dose).
- How long you were exposed (duration).
- How often you were exposed (frequency).
- General Health, Age, Lifestyle

Young children, the elderly and people with chronic (on-going) health problems are more at risk to chemical exposures.

### How are you exposed to BTEX?

Exposure can occur by either drinking contaminated water (ingestion), by breathing contaminated air from pumping gas or from the water via showering or laundering (inhalation) or from spills on your skin (dermal).

### How does BTEX affect health?

Acute (short-term) exposure to gasoline and its components benzene, toluene and xylenes has been associated with skin and sensory irritation, central nervous system-CNS problems (tiredness, dizziness, headache, loss of coordination) and effects on the respiratory system (eye and nose irritation).

On top of skin, sensory and CNS problems, prolonged exposure to these compounds can also affect the kidney, liver and blood systems.

## Do BTEX compounds cause cancer?

In the absence of data on the cancer-causing nature of the whole mixture (benzene, toluene, ethylbenzene and xylenes), possible health hazards from exposures to BTEX are assessed using an individual component-based approach of the individual chemicals.

**Benzene:** According to the U.S. EPA, there is good evidence to believe that benzene is a known human carcinogen (causes cancer). Workers exposed to high levels of benzene in occupational settings were found to have an increase occurrence of leukemia. The Department of Health and Human Services (HHS) has determined that benzene is a known human carcinogen. Long-term exposure to high levels of benzene in the air can lead to leukemia and cancers of the blood-forming organs.

**Ethylbenzene:** According to the International Agency for Research on Cancer (IARC), ethylbenzene classified as a Group 2B, possibly carcinogenic to humans, based on studies of laboratory animals.

**Toluene, and Xylenes** have been categorized as not classifiable as to human carcinogenicity by both EPA (IRIS 2001) and IARC (1999a, 1999b), reflecting the lack of evidence for the carcinogenicity of these two chemicals.

## Is there a medical test to show whether you have been exposed to BTEX?

Several tests can show if you have been exposed to BTEX. Components of BTEX can be found in the blood, urine, breath and some body tissues of exposed people. However, these tests need to be done within a few hours after exposure because these substances leave the body very quickly. The most common way to test for ethylbenzene is in the urine. However, the urine test may not be as effective to measures benzene levels.

Note these tests will perhaps show the amount of BTEX in your body, but they cannot tell you whether you will have any harmful health problems. They also do not tell you where the benzene came from.

## How can families reduce the risk of exposure to BTEX?

- Use adequate ventilation to reduce exposure to BTEX vapors from consumer products such as gasoline, pesticides, varnishes, paints, resins-glues and newly installed carpeting.
- Household chemicals should be stored out of reach of children to prevent accidental poisoning. Always store household chemicals in their original containers; never store them in containers that children would find attractive to eat or drink from, such as old soda bottles. Gasoline should be stored in a gasoline can with a locked cap.
- Volatile chemicals should be stored outside the home if possible – in a separate garage or shed.
- Don't smoke indoors with doors and windows closed.



## For more information contact:

Ohio Department of Health  
Bureau of Environmental Health  
Health Assessment Section  
246 N. High Street  
Columbus, Ohio 43215  
Phone: (614) 466-1390  
Fax: (614) 466-4556

## References:

- Agency for Toxic Substances and Disease Registry (ATSDR). 1997. Toxicological profile for benzene. U.S. Department of Health and Human Services, Public Health Service.
- Agency for Toxic Substances and Disease Registry (ATSDR). 2007. Toxicological profile for ethylbenzene. U.S. Department of Health and Human Services, Public Health Service.
- Maryland Department of the Environment (MDE). 2007. BTEX.
- Agency for Toxic Substances and Disease Registry (ATSDR). 2004. Interaction Profile for Benzene, Toluene, Ethylbenzene and Xylene (BTEX). U.S. Department of Health and Human Services, Public Health Service.

The Ohio Department of Health is in cooperative agreement with the Agency for Toxic Substances and Disease Registry (ATSDR), Public Health Service, U.S. Department of Health and Human Services.

This pamphlet was created by the Ohio Department of Health, Bureau of Environmental Health, Health Assessment Section and supported in whole by funds from the Cooperative Agreement Program grant from the ATSDR.

