# X-rays uncover a hidden defect in Elon Musk Tesla Motors batteries that will cause deadly lithium-ion battery fires and explosions

**SLAC National Accelerator Laboratory** 

X-rays uncover a hidden property that leads to failure in a lithium-ion battery material

The lithium-ion batteries commonly used to power electric buses and cordless tools and vacuum cleaners are often made up of billions of nanoparticles of lithium iron phosphate, the battery material investigated in this paper. The material ... more

Over the past three decades, lithium-ion batteries, rechargeable batteries that m lithium ions back and forth to charge and discharge, have enabled smaller devic juice up faster and last longer.

Now, X-ray experiments at the Department of Energy's SLAC National Acceleral Laboratory and Lawrence Berkeley National Laboratory have revealed that the plithium ions take through a common <u>battery</u> material are more complex than prethought. The results correct more than two decades worth of assumptions about material and will help improve battery design, potentially leading to a new generalithium-ion batteries.

An international team of researchers, led by William Chueh, a faculty scientist at Stanford Institute for Materials & Energy Sciences and a Stanford materials scie professor, published these findings today in *Nature Materials*.

"Before, it was kind of like a black box," said Martin Bazant, a professor at the Massachusetts Institute of Technology and another leader of the study. "You cou that the material worked pretty well and certain additives seemed to help, but yo tell exactly where the lithium ions go in every step of the process. You could only develop a theory and work backwards from measurements. With new instrumen measurement techniques, we're starting to have a more rigorous scientific under of how these things actually work."

### The 'popcorn effect'

Anyone who has ridden in an electric bus, worked with a power tool or used a covacuum has likely reaped the benefits of the battery material they studied, <u>lithiur phosphate</u>. It can also be used for the start-stop feature in cars with internal comengines and storage for wind and solar power in electrical grids. Better understathis material and others like it could lead to faster-charging, longer-lasting and m durable batteries. But until recently, researchers could only guess at the mechar allow it to work.

When lithium-ion batteries charge and discharge, the lithium ions flow from a liquisolution into a solid reservoir. But once in the solid, the lithium can rearrange itse

sometimes causing the material to split into two distinct phases, much as oil and separate when mixed together. This causes what Chueh refers to as a "popcorn The ions clump together into hot spots that end up shortening the battery lifetime

In this study, researchers used two X-ray techniques to explore the inner working lithium-ion batteries. At SLAC's Stanford Synchrotron Radiation Lightsource (SS bounced X-rays off a sample of lithium iron phosphate to reveal its atomic and e structure, giving them a sense of how the lithium ions were moving about in the At Berkeley Lab's Advanced Light Source (ALS), they used X-ray microscopy to the process, allowing them to map how the concentration of lithium changes ove

## Swimming upstream

Previously, researchers thought that lithium iron phosphate was a one-dimension conductor, meaning lithium ions are only able to travel in one direction through the material, like salmon swimming upstream.

But while sifting through their data, the researchers noticed that lithium was mov completely different direction on the surface of the material than one would expe on previous models. It was as if someone had tossed a leaf onto the surface of t and discovered that the water was flowing in a completely different direction that swimming salmon.

#### X-rays uncover a hidden property that leads to failure in a lithium-ion battery material

When lithium ions flow into the battery's solid electrode -- illustrated here in hexagonal slices -- the lithium  $\mathfrak c$  itself, causing the ions to clump together into hot spots that end up shortening the battery lifetime. Credit: S University/3Dgraphic

They worked with Saiful Islam, a chemistry professor at the University of Bath, L develop computer models and simulations of the system. Those revealed that lit moved in two additional directions on the surface of the material, making lithium phosphate a three-dimensional conductor.

"As it turns out, these extra pathways are problematic for the material, promoting popcorn-like behavior that leads to its failure," Chueh said. "If lithium can be mad move more slowly on the surface, it will make the battery much more uniform. To key to developing higher performance and longer lasting batteries."

# A new frontier in battery engineering

Even though lithium iron phosphate has been around for the past two decades, to study it at the nanoscale and during battery operation wasn't possible until jus of years ago.

"This explains how such a crucial property of the material has gone unnoticed fo said Yiyang Li, who led the experimental work as a graduate student and postdo fellow at Stanford and SLAC. "With new technologies, there are always new and interesting properties to be discovered about materials that make you think about little differently."

This work is one of the first papers to come out of a collaboration between Baza and several other scientists as part of a Toyota Research Institute-funded resear that utilizes theory and machine learning to design and interpret advanced expensions.

These most recent findings, Bazant said, create a more complex story that theorengineers are going to have to consider in future work.

"It further builds the argument that engineering the surfaces of <u>lithium</u>-ion batteri really the new frontier," he said. "We have already discovered and developed so best bulk materials. And we've seen that <u>lithium-ion batteries</u> are still progressing pretty remarkable pace: They keep getting better and better. This research is en steady advancement of a tried technology that actually works. We're building on important bit of knowledge that can be added to the toolkit of battery engineers a to develop better materials."

# Spanning different scales

To follow up on this study, the researchers will continue to combine modeling, six and experiments to try to understand fundamental questions about battery performany different length and time scales with facilities such as SLAC's Linac Coher Source, or LCLS, where researchers will be able to probe single ionic hops that timescales as fast as one trillionth of a second.

"One of the roadblocks to developing <u>lithium-ion</u> battery technologies is the huge length and time scales involved," Chueh said. "Key processes can happen in a s second or over many years. The path forward requires mapping these processe lengths that go from meters all the way down to the motion of atoms. At SLAC, v studying battery <u>materials</u>at all of these scales. Combining that with modeling ar experiment is really what made this understanding possible."

Explore further: Polymer professor develops safer component for lithiun batteries

**More information:** Fluid-enhanced surface diffusion controls intraparticle phase transformations, *Nature Materials* (2018). **DOI:** 10.1038/s41563-018-0168-4 , https://www.nature.com/articles/s41563-018-0168-4

Read more at: https://phys.org/news/2018-09-x-rays-uncover-hidden-property-failure.html#jCp